Fuji Electric France S.A.	Sensors for ultrasonic flowmeters "T model FLW/FLY			on Price List 2009 Edition
Name: P. NOUHEN		Name: M.NARCHE		
visa: Abuhen		Visa:	O S	INTION
			Fuji Electric Inst	rumentation & Control
	EDITING	APPROVAL		DATE

DESCRIPTION								C	OL	Œ								Price £
	1	2	3	4	5	6	7	8		9	10	11	12	13	14	15	16	FOB Japar
MODEL CODE			Г															
Sensor for Time Delta ultrasonic flowmeter	F	L	W	_				2	-	Υ	Υ							
ГҮРЕ																		Base
Small sensor (50 to 400mm) 2 MHz		П	Г	1	2	0												£804
Small sensor (50 to 400mm) 1 MHz				1	1	0				П								£804
Middle sensor (200 to 1200mm) 1 MHz				4	1	0				П								£1,708
Large sensor (200 to 6000mm) 1 MHz				5	1	0				П								£2,727
Large sensor (200 to 6000mm) 0.5 MHz				5	0	0				П								£2,727
OPTION																		
None		Т	Г				Υ			Г								£0
Tag, Name Plate		П	Г				Α											£32
COAXIAL CABLE		П								Г								
None								2	-	Υ								03
/ERSION																		
Standard		Т	Г							Г	Υ							£0
MOUNTING METHOD			Г							Г								
Standard		T		Г	Г		Г	ı		Г	ı	Υ	ı	Г	ı	Г		£0
Z-method (for FLW12 & FLW11 only)		Т	Т						Г	Т		2						£253

Note: Please order the cable length with model of FLY (model FLY8 for FSV, FLY1 for FLV and FLH).

DESCRIPTION								C	OD	ÞΕ								Price £
	1	2	3	4	5	6	7	8	-	9	10	11	12	13	14	15	16	FOB Japan
MODEL CODE																	Г	
Sensor for Time Delta ultrasonic flowmeter	F	L	W			Г		2	-	Г	Υ		П	П		Г	Г	
TYPE																	Г	Base
Small sensor (50 to 400mm) submerged type 2 MHz				1	2			Г		Г					Г	Г	Г	£1,019
Small sensor (50 to 400mm) submerged type 1 MHz				1	1	1		Т		Г					Т	Г	Г	£1,019
Middle sensor (200 to 1200mm) submerged type 0.5 MHz				4				Г							Г	Г	Г	£1,923
Large Large sensor (200 to 6000mm) submerged type 1 MHz				5	1	1				П						Π	Г	£2,887
Large Large sensor (200 to 6000mm) submerged type 0.5 MHz				5	0	1				П						Π	Г	£2,887
OPTION																	Г	
None							Υ			П						Π	Г	93
Tag, Name Plate							Α	Г							Г	Г	Г	£32
COAXIAL CABLE																	Г	
10 meters								2	-	В					Г	Г	Г	£326
20 meters								2	-	С						Π	Г	£543
30 meters								2	-	D					Г	Г	Г	£750
40 meters								2	-	Ε						Π	Г	£961
50 meters								2	-	F						Π	Г	£1,172
60 meters								2	-	G						Π	Г	£1,385
70 meters								2	-	Н						Π	Г	£1,596
80 meters								2	-	J						L		£1,807
90 meters								2	-	K						L		£2,018
100 meters								2		L						L		£2,231
110 meters								2	-	М						L		£2,442
120 meters								2	-	Ν						L		£2,653
130 meters								2	-	Ρ						L		£2,866
140 meters								2	-	Q						L		£3,077
150 meters								2	-	R						L		£3,288
Others								2	-	Z								Contact us
/ERSION																		
Standard											Υ							£0
MOUNTING METHOD										Г							П	
Standard		Γ	Γ				Γ	Γ		Γ		Υ			Γ	L	Г	£0
Z-method (for FLW12 & FLW11 only)		Γ	Γ				Γ	Γ		Γ		2			Γ	L	Г	£253
CONVERTER																L		
Use with FLH				L				L	L	L	L		0		L	L	L	03
Use with FSV								1		1			1		1		1	93

Fuji Electric France S.A.	Sensors for ultrasonic flowmeters "T model FLW/FLY		Coulton Price List January 2009 Edition
Name: P. NOUHEN Visa:		Name: M.NARCHE Visa:	
Wisa: Abuhen		visa:	Fuji Electric Instrumentation & Contro
	EDITING	APPROVAL	DATE

DESCRIPTION								CC	D	Е							Price £		
	1	1 2	3	4	5	6	7	8	-	9	10	11	12	13	14	15 16	FOB Japan		
ГҮРЕ		T	T								T								
Export Standard	F	L	S	Ε				2	-	Υ	Т	Т	П	Т					
/ERSION		Т	Т																
Standard		Т	Т	Ε							Т	T		Т					
(IND OF DETECTOR		Т	Т														Base		
Small diameter (for 25 to 100mm) / 2 MHz signal / V method		Т	Т		1	2					Т	Т	П	Т			£725		
Small size detector (for 50 to 225mm) / 2 MHz signal / V method		Т	Т		2	2					Т			T			£725		
ACOUSTIC COUPLER		Т	Т														Add		
None		Т	Т				Υ				Т	Т	П	Т			£0		
Silicon rubber		Т	Т				Α				Т	Т	T	Т			£66		
Silicon-free (Note 1)		Т	Т				В				Т	Т	T	Т			£119		
MODIFICATION N°		Т	Т																
Version		Т	Т					2			Т	Т	П	Т			£0		
FLUID TEMPERATURE RANGE		Т	Т																
-20 to 100 Deg C		T	Г							Υ	Т	T					£0		
0 to 120 Deg C (Note 2)		Т	Т							Α	Т			T			£157		
OPTION		T	Т								T								
None		T	Г								Υ	T					03		
Tag Plate	Г	Т	Т								В	Т	П				£119		

Note 1 Not applicable for 9th code "A".

Note 2 High temperature sensor (9th code "A") cannot be used with M-Flow converter (model FLR)

Note 3 Please order separately the cables (model FLY3 for FSV).

DESCRIPTION		CODE																Price £	
	1	1 2	2 3	4	5	6	7	8	-	9	10	11	12	13	14	15	16	FOB Japan	
MODEL CODE		T																	
Sensor for Time Delta ultrasonic flowmeter	F	= L	. D		Г		S	1	-	Υ						П		1	
TYPE			T		Г													Base	
Small diameter sensor (13 to 50mm)		Т		2	2	0												£1,019	
High temperature sensor (50 to 400mm)		T		3	2	0												£5,565	
VERSION		T																i i	
Standard		Т					S											£0	
CONVERTER																		i i	
For FLV or FLH converter				ı				1	Г	ı	ı			ı	ı			£0	
COAXIAL CABLE		t	T		T											T		i	
Without coaxial cable (Note)		+		Т	1				-	V						Т	т	60	

Note : Please order separately the cables (model FLY9 for FSV, FLY2 for FLV and FLH).

Fuji Electric France S.A.	Sensors for ultrasonic flowmeters "T model FLW/FLY			on Price List 2009 Edition
Name: P. NOUHEN		Name: M.NARCHE		
visa: Abuhen		Visa:		PULTON & Control
	EDITING	APPROVAL	roji Electric iris	DATE

DESCRIPTION								CC	DDE							Price £
	1	2	3	4	5	6	7	8	- 9	9 1	0 11	12	13	14	15 16	FOB Japa
IODEL CODE												T				
Coaxial cable for Time Delta ultrasonic flowmeter	F	L	Υ					1		Т	Т	П				
YPE										T		П				Base
or FLV(3) and FLH (3) converter (M4 terminal size):																
Small middle and large sensor (FLW120/110//410/510/500)				1												£91
High temperature sensor (FLD320S1-Y) & Small sensor (FLD220S1-Y)				2												£91
or FSV converter (M3 terminal size):																
Small middle and large sensor (FLW120/110//410/510/500)				8												£91
High temperature sensor (FLD320S1-Y) & Small sensor (FLD220S1-Y)				9								L				£91
ABLE LENGHT																
5 meters					0		5			\perp						£157
10 meters					0	1				\perp						£314
15 meters					0	1	5	1		\perp						£470
20 meters					0		0	1			┸	L	L			£627
25 meters					0	2	5	1			┸	L	L			£784
30 meters	L				0	3	0	1		1	┸	L	L		Ш	£941
35 meters	L				0	3		1		1	┸	L	L		Ш	£1,097
40 meters			Ш		0	4		1	_	_	_	L	L	L		£1,254
45 meters	<u> </u>		Ц		0	4	5	1	_	1	_	L	_	L	Ш	£1,411
50 meters					0	5	0	1	_	_		L				£1,568
55 meters					0	5	5	1	_	_		L				£1,724
60 meters					0		0	1	_	_	_	L				£1,881
65 meters					0	6	5	1	_	_	_	L				£2,038
70 meters					0	7	0	1	_	_	_	┸	L			£2,195
75 meters					0	7	5	1	_	_	_	┸	L			£2,351
80 meters	_				0	8	0	1	_	_	_	╀	1			£2,508
85 meters	-		Ш		0	8		1	_	_	+	╀	_			£2,665
90 meters	-		Ш		0		0	1	_	_	+	╀	_			£2,822
95 meters	-		Ш		0	9	5	1	_	_	+	╀	_			£2,978
100 meters	_	_			1	1	0	1	_	+	+	╀	-			£3,135
110 meters	-		-		1		0	1	_	+	+	+	1		-	£3,449
120 meters	-		-		1	2	0	1	_	+	+	+	1		-	£3,762 £4.076
130 meters	-		-		1	3	0	1	_	+	+	+	1		-	
140 meters	-	_	Н		1	5	0	1	-	+	+	+	╀			£4,389
150 meters	-	_	-		1	6		1	+	+	+	+	┝			£4,704
160 meters	-	_	-		1	7	0	1	+	+	+	+	┝			£5,016 £5,330
170 meters	-	-	Н		1	8	0	1	+	+	+	+	-		H	£5,330 £5,643
180 meters	-	_	Н		1	9	0	1	+	+	+	+	+		H	£5,643 £5,957
190 meters 200 meters	-	_	Н		2	0	0	1	+	+	+	+	+		H	£6,270
200 meters 210 meters	-	-	Н		2	1	0	1	+	+	+	+	-		H	£6,270 £6,584
220 meters	-	_	Н		2	2	0	1	+	+	+	+	+		H	£6,897
230 meters	-		Н		2	3	0	1	+	+	+	۰	+-		H	£7,211
240 meters	-	_	Н		2	4	0	1	+	+	+	+	۰		\vdash	£7,524
250 meters	-	Н	Н		2	5	0	1	+	+	+	$^{+}$	H	H	H	£7,324 £7.838
260 meters	-	Н	H		2	6	0	1	+	+	+	$^{+}$	t	H	H	£8,151
270 meters	-	Н	H		2	7	0	1	+	+	+	$^{+}$	t	H	H	£8,465
280 meters	H	Н	H		2	8	0	1	$^{+}$	$^{+}$	+	t	t	H	H	£8,779
290 meters		Н	H		2	9	0	1	+	$^{+}$	+	t	t	H		£9,092
300 meters	-	Н	Н		3	0	0	1	+	+	+	$^{+}$	H	H	H	£9,406
Others	-	\vdash	Н				Z	1	+	+	+	+	+	\vdash	H	Contact us

 $\underline{\underline{\text{Note}}}: \text{No need to order FLY cable } \text{ when you ordering submerged-proof sensors type.}$

3/3

DESCRIPTION								C	OD	E							Price £
	1	2	3	4	5	6	7	8		9	10	11	12	13 1	4 15	16	FOB Japan
KIND OF CABLE		T															Base
Coaxial cable for M-Flow sensor (FLS)	F	L	. Y	3	0			1							Т	П	£90
SENSOR TYPE		T															Add
For FLRSE12 (ø25 to 100mm) or FLRSE22 (ø50 to 225mm)		Т	Т	3										Т	Т	П	£0
Equipped with waterproof BNC connector on one side		Т	Т	Т									T	Т	Т	П	
CABLE LENGHT		T														П	Add
5m (one pair)		Т	Т	Т	0	0	5							Т	Т	П	£157
10m (one pair)		Т	Т	П	0	1	0							Т	Т	П	£314
15m (one pair)		Т	Т		0	1	5								Т	П	£470
20m (one pair)		Т	Т		0	2	0								Т	П	£627
25m (one pair)		Т	Т		0	2	5								Т	П	£784
30m (one pair)		Т	Т		0	3	0								Т	П	£941
40m (one pair)					0		0										£941
50m (one pair)					0		0										£1,127
60m (one pair)		Γ	Г	Γ	0	6	0		Γ	ΙŢ	П	Т	Т	П	Г	П	£1,313
MODIFICATION N°			Т												Т		
Revision		Т	Т	Г				1						Т	Т		